





# Light Duty Trucks, MPV & Incomplete Vehicle Identification Numbering System



World Make/Manufacturer Identifier (WMI)

Table 4: World Make/Manufacturer Identifier tables

US	Canada	Mexico	Other	Make	Comments
Passenger Car					
1G1	2G1	3G1	KL8, 6G1	Chevrolet	GM Korea Company (KL8), Holden (6G1)
1G4	2G4	---	---	Buick	
1G6	2G6	---	---	Cadillac	
5G8	---	---	---	Holden	
1G0	---	---	---	Opel	
Light Duty Truck (LDT)					
1GC	---	3GC	---	Chevrolet	
1GT	---	3GT	---	GMC	
---	---	3GG	---	Cadillac	
Multi Passenger Vehicle (MPV)					
5GA	---	---	KL4	Buick	GM Korea Company (KL4)
1GY	---	3GY	---	Cadillac	
1GN	2GN	3GN	KL7	Chevrolet	GM Korea Company (KL7)
1GK	2GK	---	---	GMC	
---	---	---	---	Saab	
Incomplete Vehicles					
1GB	---	3GB	---	Chevrolet	
1GD	---	3GD	---	GMC	
---	2GE	---	---	Cadillac	
Bus					
1GA	---	---	---	Chevrolet	
1GJ	---	---	---	GMC	



## Restraint System - All Vehicles

Table 5: Restraint System Chart

Code	Restraint System Description
A:	Active Manual Belts, Airbag Delete
B:	Active Manual Belts, Airbag-Driver only - Front
C:	Active Manual Belts, Airbag-Driver & Passenger-Front (1 <sup>st</sup> row)
D:	Active Manual Belts, Airbags-Driver & Passenger-Front (1 <sup>st</sup> row), & Front Seat Side (1 <sup>st</sup> row)
E:	Active Manual Belts, Airbags-Driver & Passenger-Front (1 <sup>st</sup> row), Front Seat Side (1 <sup>st</sup> row), Roof Side (all seating rows)
F:	Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) and Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)
G:	Active Manual Belts, Airbags - Driver & Passenger - Front (1st row), Front Seat Side (1st row) and Rear Seat Side (2nd row), Roof Side (all seating rows)
H:	Active Manual Belts, Airbag - Driver only - Front, Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)
J	Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st row) and Rear Seat Side (2nd row)
K	Active Manual Belts, Airbag - Driver & Passenger - Front (1st row), Front Seat Side (1st Row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)
M:	Active Manual Belts, Airbag-Driver & Passenger-Front (1st row) & Knee (1st row)
N:	Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), & Front Seat Side (1st row), Driver & Passenger Knee (1st row)
P:	Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) and Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows), Driver & Passenger Knee (1st row)
R:	Active Manual Belts, Airbags-Driver & Passenger-Front (1 <sup>st</sup> row), Front Seat Side (1 <sup>st</sup> row), Roof Side (all seating rows), Driver & Passenger knee (1st row)
S:	Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)
T:	Active Manual Belts, Airbag - Driver & Passenger Front (1st row), Seat Side (1st row), Front Row Roof Side (1st row)
U:	Active Manual Belts, Airbags-Driver & Passenger - Front (1st row), Front Seat Side (1st row), Front Roof Side (1st row), Driver & Passenger knee (1st row)



Gross Vehicle Weight Rating (GVWR)/Brake System/Body Style

Table 11: GVWR/Brake System/Body Style Chart

GVW (Lbs)	Brake System	Body Style								
		26	05/06	36	03	43	53	69	75	76
Class A: 0-3,000	Hydraulic									
Class B: 3,001-4,000	Hydraulic									B
Class C: 4,001-5,000	Hydraulic	A							7	C
Class D: 5,001-6,000	Hydraulic	F								
Class E: 6,001-7,000	Hydraulic	K	L	M	N	P	R	X		
Class F: 7,001-8,000	Hydraulic		S	T		U	V			
Class G: 8,001-9,000	Hydraulic		W		Y					
Class H: 9,001-10,000	Hydraulic		Z		0	1	2			
Class 3: 10,001-14,000	Hydraulic				3	4	5			
Class 4: 14,001-16,000	Hydraulic				6					
Class 5: 16,001-19,500	Hydraulic									
Class 6: 19,501-26,000	Hydraulic									



Light Duty Truck and MPV Body Style Description Table

Table 12: Body Style Description Table

Body Style Code	Description
03	Commercial Special and RV Cutaway, Two (2) Door Cab pick-up, Motor Home Chassis
05	Cargo Van
06	Four (4) Door Cab/Utility
26	Four (4) Door Cab/Utility
36	Sport Utility Truck
43	Four (4) Door Crew Cab/Utility
53	Extended Cab
69	Sedan, 4 - Door, 4 Window, Notchback
75	Station Wagon, 4 door, high roof, monocab
76	Four (4) Door Utility



## Light Duty Truck/MPV Engine Table

Table 13: Light Duty Truck/ MPV Engine Table


Code	RPO	Book Code(s)	Description
A:	L20	1, 8	ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 4.8L, SFI IRON
B:	LC8	1, 8	ENGINE FLEXIBLE FUEL, (CNG/LPG), 8 CYL, V8, 6.0L, SFI
B:	LUV	J	ENGINE GAS, 4 CYL, 1.4L, MFI, DOHC, TURBO, VVT, ALUM E85 MAX
C:	OPEN		OPEN
D:	LLT	17	ENGINE GAS, 6 CYL, 3.6L, SIDI, V6, ALUM, 60 DEGREES
E:	2H0	J	ENGINE GAS, 4 CYL, 1.8L, MFI, 103KW, DOHC
F:	L94	1	ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 6.2L, SFI, ALUM CYL DEACTIVATION
G:	L96	1, 8	ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI IRON
H:	OPEN		OPEN
J:	LZ1	1	ENGINE FLEXIBLE FUEL (GAS/ETHANOL), 8 CYL, 6.0L, SFI LIVC, DOD, ALUM
K:	LEA	7L	ENGINE GAS, 4 CYL, 2.4L, SIDI, DOHC, E85 MAX, ALUM
L:	LGH	8	ENGINE DIESEL, 8 CYL, 6.6L, DI, V8, TURBO, DURAMAX
M:	OPEN		OPEN
N:	OPEN		OPEN
P:	OPEN		OPEN
R:	OPEN		OPEN
S:	OPEN		Reserved till 2014
T:	LFH	J	ENGINE GAS, 4 CYL, 1.8L, MFI, E100 MAX
T:	LEA	P	ENGINE GAS, 4 CYL, 2.4L, SIDI, DOHC, E85 MAX, ALUM, (Chevrolet Orlando) **
U:	OPEN		OPEN
V:	OPEN		OPEN
W:	OPEN		OPEN
X:	LU3	1, 8	ENGINE GAS, 6 CYL, 4.3L, MFI, V6, 90 DEG
Y:	OPEN		OPEN
Z:	OPEN		OPEN
0:	LMG	1	ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L, SFI, V8, OHV, CYL DEACTIVATION, IRON
1:	OPEN		OPEN
2:	L9H	1	ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 6.2L, SFI, ALUM
3:	LFX	N, 7L, 0G	ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM
4:	LMF	8	ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L, SFI, V8 OHV, IRON
5:	LFW	7L, N	ENGINE GAS, 6 CYL, 3.0L, SIDI, DOHC, VVT, E85 MAX, ALUM
6:	OPEN		OPEN
7:	LC9	1	ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L SFI, ALUM CYL, DEACTIVATION
8:	LML	1	ENGINE DIESEL, 8 CYL, 6.6L, PTI, V8, TURBO, DURAMAX
8:	LUJ	J	ENGINE GAS, 4 CYL, L4, 1.4L, MFI, DOHC, TURBO HO, ALUM
9:	OPEN		OPEN

\*Engines listed as flexible fuel do not indicate the vehicle is equipped for flexible fuel

\*\* LEA Engine has a VIN Character of "T" for the Chevrolet Orlando Only



## Buick Enclave



1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)	
1: Region of Build	5: United States
2: Manufacturer	G: General Motors
3: Vehicle Brand/Type	A: Buick MPV

7: RESTRAINT SYSTEM	
E:	AY0 - Active manual belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)
K:	AYQ - Active Manual Belts, Airbags - Driver & Passenger - Front (1st row), Front Seat Side (1st row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

4: GVWR/BRAKE SYSTEM/BODY STYLE	
GVW (Lbs)/ Brake System	Body Style
Class E: 6,001-7,000 Hyd.	26 K

8: ENGINE TYPE	
D:	LLT - ENGINE GAS, 6 CYL, 3.6L, SIDI, V6, ALUM, 60 DEGREES

5-6: CHASSIS/SERIES	
<u>Book 17</u>	
R B:	Buick Enclave Convenience Group (FWD)
R C:	Buick Enclave Leather Group (FWD)
R D:	Buick Enclave Premium Group (FWD)
R 7:	Buick Enclave FWD (Export - Non US, Non Canada)
V B:	Buick Enclave Convenience Group (AWD)
V C:	Buick Enclave Leather Group (AWD)
V D:	Buick Enclave Premium Group (AWD)
V 7:	Buick Enclave AWD (Export - Non US, Non Canada)

9: CHECK DIGIT	
0-9, X - Calculated by POMS	


10: MODEL YEAR	
D:	2013

11: PLANT LOCATION	
<u>When VIN position 1 is (USA):</u>	
J:	Lansing - Delta Township

12-17: SEQUENCE NUMBER	
Consecutive 6 digit number, number starting each new model year with 100001	



## Buick Encore



**1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)**

1: Region of Build  
 K: South Korea

2: Manufacturer  
 L: GM Korea

3: Vehicle Brand/Type  
 4: Buick MPV

**4: GVWR/BRAKE SYSTEM/BODY STYLE**

GVW (Lbs)/ Brake System	Body Style
Class C: 4,001-5,000 Hyd.	76 C

**5-6: CHASSIS/SERIES**

Book J

J A: Buick Encore Base FWD  
 J B: Buick Encore Convenience Group FWD  
 J C: Buick Encore Leather FWD  
 J D: Buick Encore Premium Group FWD  
 J E: Buick Encore Base AWD  
 J F: Buick Encore Convenience Group AWD  
 J G: Buick Encore Leather AWD  
 J H: Buick Encore Premium Group AWD

**7: RESTRAINT SYSTEM**

E: AY0 - Active manual belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)

S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)

**8: ENGINE TYPE**

B: LUV - ENGINE GAS, 4 CYL, 1.4L, MFI, DOHC, TURBO, VVT, ALUM E85 MAX

8: LUJ - ENGINE GAS, 4 CYL, L4, 1.4L, MFI, DOHC, TURBO HO, ALUM

**9: CHECK DIGIT**

0-9, X - Calculated by POMS

**10: MODEL YEAR**

D: 2013

**11: PLANT LOCATION**

When VIN position 1 is "K" (S. Korea):  
 B: Bupyeong


**12-17: SEQUENCE NUMBER**

Consecutive 6 digit number, number starting each new model year with 100001





### Cadillac Escalade



**1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)**

1: Region of Build	Valid Combinations
1: United States	1GY
3: Mexico	3GY
2: Manufacturer	3GG
G: General Motors	
3: Vehicle Brand/Type	
G: Cadillac Truck	
Y: Cadillac MPV	

**4: GVWR/BRAKE SYSTEM/BODY STYLE**

GVW (Lbs)/ Brake System	Body Style	
	05/06	36
Class E: 6,001-7,000 Hyd.	L	M
Class F: 7,001-8,000 Hyd.	S	T
Class G: 8,001-9,000 Hyd.	W	

**5-6: CHASSIS/SERIES**

Book 1

3	A:	4x2, Cadillac Escalade Base
3	B:	4x2, Cadillac Escalade Luxury Collection
3	C:	4x2, Cadillac Escalade Premium Collection
3	D:	4x2, Cadillac Escalade Platinum Collection
3	E:	4x2, Cadillac Escalade Hybrid
3	F:	4x2, Cadillac Escalade Platinum Hybrid
3	G:	4x2, Cadillac Escalade ESV Base
3	H:	4x2, Cadillac Escalade ESV Luxury Collection
3	J:	4x2, Cadillac Escalade ESV Premium Collection
3	K:	4x2, Cadillac Escalade ESV Platinum Collection
3	7:	4x2, Cadillac Escalade (Export - Non US, Non Canada)
3	8:	4x2, Cadillac Escalade ESV (Export - Non US, Non Canada)
4	A:	4x4, Cadillac Escalade Base
4	B:	4x4, Cadillac Escalade Luxury Collection
4	C:	4x4, Cadillac Escalade Premium Collection
4	D:	4x4, Cadillac Escalade Platinum Collection
4	E:	4x4, Cadillac Escalade Hybrid
4	F:	4x4, Cadillac Escalade Platinum Hybrid

**5-6: CHASSIS/SERIES - (Continued)**

4	G:	4x4, Cadillac Escalade ESV Base
4	H:	4x4, Cadillac Escalade ESV Luxury Collection
4	J:	4x4, Cadillac Escalade ESV Premium Collection
4	K:	4x4, Cadillac Escalade ESV Platinum Collection
4	L:	4x4, Cadillac Escalade EXT Base
4	M:	4x4, Cadillac Escalade EXT Luxury Collection
4	N:	4x4, Cadillac Escalade EXT Premium Collection
4	7:	4x4, Cadillac Escalade (Export - Non US, Non Canada)
4	8:	4x4, Cadillac Escalade ESV (Export - Non US, Non Canada)
4	9:	4x4, Cadillac Escalade EXT (Export - Non US, Non Canada)

**7: RESTRAINT SYSTEM**

E:	(AJ7&ASF) - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)
F:	(AK5&ASF) - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) and Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

**8: ENGINE TYPE**

F:	L94 - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 6.2L, SFI, ALUM CYL DEACTIVATION
J:	LZ1 - ENGINE FLEXIBLE FUEL (GAS/ETHANOL), 8 CYL, 6.0L, SFI LIVC, DOD, ALUM
0:	LMG - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L, SFI, V8, OHV, CYL DEACTIVATION, IRON
7:	LC9 - ENGINE FLEXIBLE FUEL (GAS/ALC), 8 CYL, 5.3L, SFI, ALUM CYL DEACTIVATION



## Cadillac Escalade (Continued)

**9: CHECK DIGIT**

0-9, X - Calculated by POMS

**10: MODEL YEAR**

D: 2013

**11: PLANT LOCATION**

When VIN position 1 is "1" (USA):

R: Arlington

When VIN position 1 is "3" (Mexico):

G: Silao

**12-17: SEQUENCE NUMBER**

Consecutive 6 digit number, number starting each new model year with 100001



## Light Duty Truck/MPV Plant Codes

Table 14: Light Duty Truck/MPV Plant Codes

When VIN position 1 is "1" or "5" (U.S.A.):

F:	Flint	MI	GMNA
J:	Lansing - Delta Township	MI	GMNA
R:	Arlington	TX	GMNA
Z:	Fort Wayne	IN	GMNA
Z:	Springhill	TN	GMNA
1:	Wentzville	MO	GMNA
X:	Non Production/Non-Saleable Build		GMNA

When VIN position 1 is "2" (Canada):

1:	Oshawa #2 (OST)	ON	GMNA
6:	CAMI	ON	GMNA
9:	Oshawa #1 (OSH)	ON	GMNA

When VIN position 1 is "3" (Mexico):


G:	Silao	MEX	GMNA
L:	San Luis Potosi	MEX	GMNA
S:	Ramos Arizpe	MEX	GMNA

When VIN position 1 is "K" (S. Korea):

B:	Bupyeong	S. Korea	GM Korea
K:	Kunsan	S. Korea	GM Korea



### Cadillac SRX



**1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)**

1: Region of Build  
 3: Mexico

2: Manufacturer  
 G: General Motors

3: Vehicle Brand/Type  
 Y: Cadillac MPV

**4: GVWR/BRAKE SYSTEM/BODY STYLE**

GVW (Lbs)/ Brake System	Body Style
Class D: 5,001-6,000 Hyd.	26 F

**5-6: CHASSIS/SERIES**

Book N

N A: Cadillac SRX Base (FWD)  
 N B: Cadillac SRX Leather Collection (FWD Canada only)  
 N C: Cadillac SRX Luxury (FWD)  
 N D: Cadillac SRX Performance (FWD)  
 N E: Cadillac SRX Premium (FWD)  
 N F: Cadillac SRX Leather Collection (AWD Canada Only)  
 N G: Cadillac SRX Luxury (AWD)  
 N H: Cadillac SRX Performance (AWD)  
 N J: Cadillac SRX Premium (AWD)  
 N 9: Cadillac SRX (Export - Non US, Non Canada)

**7: RESTRAINT SYSTEM**

E: AY0 - Active manual belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)

**8: ENGINE TYPE**

3: LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM  
 5: LFW - ENGINE GAS, 6 CYL, 3.0L, SIDI, DOHC, VVT, E85 MAX, ALUM

**9: CHECK DIGIT**

0-9, X - Calculated by POMS

**10: MODEL YEAR**

D: 2013

**11: PLANT LOCATION**


When VIN position 1 is "3" (Mexico):  
 S: Ramos Arizpe

**12-17: SEQUENCE NUMBER**

Consecutive 6 digit number, number starting each new model year with 100001



### Cadillac Stretch Limo, Funeral Coach



1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)	
1: Region of Build	2: Canada
2: Manufacturer	G: General Motors
3: Vehicle Brand/Type	E: Cadillac Incomplete

4: GVWR/BRAKE SYSTEM/BODY STYLE	
GVW (Lbs)/ Brake System	Body Style
Class E: 6,001-7,000 Hyd.	69 X

5-6: CHASSIS/SERIES	
<u>Book OG</u>	
G: 6:	Cadillac Stretch Limo
G: 7:	Cadillac Funeral Coach
G: 8:	Cadillac Armored Vehicle

7: RESTRAINT SYSTEM	
U: ANH - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Front Roof Side (1st row), Knee (1st row)	

8: ENGINE TYPE	
3:	LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM

9: CHECK DIGIT	
0-9, X - Calculated by POMS	


10: MODEL YEAR	
D:	2013

11: PLANT LOCATION	
<u>When VIN position 1 is "2" (Canada):</u>	
9:	Oshawa #1 (OSH)

12-17: SEQUENCE NUMBER	
Consecutive 6 digit number, number starting each new model year with 100001	



## Chevrolet Avalanche



1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)	
1: Region of Build	Valid Combinations
3: Mexico	3GC
2: Manufacturer	3GN
G: General Motors	
3: Vehicle Brand/Type	
C: Chevrolet Truck	
N: Chevrolet MPV	

8: ENGINE TYPE
0: LMG - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L, SFI, V8, OHV, CYL DEACTIVATION, IRON
7: LC9 - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L SFI, ALUM CYL, DEACTIVATION

9: CHECK DIGIT
0-9, X - Calculated by POMS

4: GVWR/BRAKE SYSTEM/BODY STYLE		
GVW (Lbs)/ Brake System		Body Style
		36
Class E: 6,001-7,000	Hyd.	M
Class F: 7,001-8,000	Hyd.	T

10: MODEL YEAR
D: 2013

11: PLANT LOCATION
When VIN position 1 is "3" (Mexico):
G: Silao


5-6: CHASSIS/SERIES	
<u>Book 1</u>	
C E:	4x2, ½ ton Chevrolet Avalanche LS
C F:	4x2, ½ ton Chevrolet Avalanche LT
C G:	4x2, ½ ton Chevrolet Avalanche LTZ
C 3:	4x2, ½ ton Chevrolet Avalanche FL
C 7:	4x2, Chevrolet Avalanche (Export - Non US, Non Canada)
K E:	4x4, ½ ton Chevrolet Avalanche LS
K F:	4x4, ½ ton Chevrolet Avalanche LT
K G:	4x4, ½ ton Chevrolet Avalanche LTZ
K 3:	4x4, ½ ton Chevrolet Avalanche FL
K 7:	4x4, Chevrolet Avalanche (Export - Non US, Non Canada)

12-17: SEQUENCE NUMBER
Consecutive 6 digit number, number starting each new model year with 100001

7: RESTRAINT SYSTEM
E: (AJ7&ASF) - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)



### Chevrolet Captiva Sport



**1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)**

1: Region of Build  
 3: Mexico

2: Manufacturer  
 G: General Motors

3: Vehicle Brand/Type  
 N: Chevrolet MPV

**7: RESTRAINT SYSTEM**

E: AYO - Active manual belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)

**4: GVWR/BRAKE SYSTEM/BODY STYLE**

GVW (Lbs)/ Brake System	Body Style
	26
Class C: 4,001-5,000 Hyd.	A
Class D: 5,001-6,000 Hyd.	F

**8: ENGINE TYPE**

K: LEA - ENGINE GAS, 4 CYL, 2.4L, SIDI, DOHC, E85 MAX, ALUM

5: LFW - ENGINE GAS, 6 CYL, 3.0L, SIDI, DOHC, VVT, E85 MAX, ALUM

Note: 6,807 Chevrolet Captiva vehicles assembled within the build sequence from 500120 and 530600 were incorrectly marked with an 'F' in the 4th position instead of an 'A'.

**9: CHECK DIGIT**

0-9, X - Calculated by POMS

**5-6: CHASSIS/SERIES**

Book 7L

L 1: Chevrolet Captiva Sport 1LS (FWD)

L 2: Chevrolet Captiva Sport 2LS (FWD)

L 3: Chevrolet Captiva Sport 1LT (FWD)

L 4: Chevrolet Captiva Sport LTZ (FWD)

L 7: Chevrolet Captiva Export (Non US, Non Canada)

**10: MODEL YEAR**

D: 2013

**11: PLANT LOCATION**

When VIN position 1 is "3" (Mexico):


S: Ramos Arizpe

**12-17: SEQUENCE NUMBER**

Consecutive 6 digit number, number starting each new model year with 100001



## Chevrolet Equinox



1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)	
1: Region of Build	Valid Combinations
1: United States	1GN
2: Canada	2GN
2: Manufacturer	
G: General Motors	
3: Vehicle Brand/Type	
N: Chevrolet MPV	

4: GVWR/BRAKE SYSTEM/BODY STYLE		
GVW (Lbs)/ Brake System		Body Style
		26
Class C: 4,001-5,000	Hyd.	A
Class D: 5,001-6,000	Hyd.	F

5-6: CHASSIS/SERIES	
<u>Book 7L</u>	
L B:	Chevrolet Equinox LS (FWD)
L C:	Chevrolet Equinox LS (AWD)
L D:	Chevrolet Equinox 1LT (FWD)
L E:	Chevrolet Equinox 1LT (AWD)
L P:	Chevrolet Equinox 2LT (FWD)
L N:	Chevrolet Equinox 2LT (AWD)
L F:	Chevrolet Equinox LTZ (FWD)
L G:	Chevrolet Equinox LTZ (AWD)
L 9:	Chevrolet Equinox (Export - Non US, Non Canada)

7: RESTRAINT SYSTEM	
E:	AYO - Active manual belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)

8: ENGINE TYPE	
K:	LEA - ENGINE GAS, 4 CYL, 2.4L, SIDI, DOHC, E85 MAX, ALUM
3:	LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM

9: CHECK DIGIT	
0-9, X - Calculated by POMS	

10: MODEL YEAR	
D: 2013	


11: PLANT LOCATION	
<u>When VIN position 1 is "1" (United States):</u>	
Z:	Springhill
<u>When VIN position 1 is "2" (Canada):</u>	
1:	OSHAWA #2 (OST)
6:	CAMI

12-17: SEQUENCE NUMBER	
Consecutive 6 digit number, number starting each new model year with 100001	





# Chevrolet Express



**1 - 3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)**

1: Region of Build	Valid Combinations
1: United States	1GA
2: Manufacturer	1GB G: General Motors 1GC
3: Vehicle Brand/Type	1GN A: Chevrolet Bus B: Chevrolet Incomplete Truck C: Chevrolet Truck N: Chevrolet MPV

**4: GVWR/BRAKE SYSTEM/BODY STYLE**

GVW (Lbs)/ Brake System	Body Style	
	05/06	03
Class E: 6,001-7,000 Hyd.	L	
Class F: 7,001-8,000 Hyd.	S	
Class G: 8,001-9,000 Hyd.	W	Y
Class H: 9,001-10,000 Hyd.	Z	0
Class 3: 10,001-14,000 Hyd.		3
Class 4: 14,001-16,000 Hyd.		6

**5-6: CHASSIS/SERIES**

Book 8

G A:	4x2, Chevrolet Express 1500 Cargo
G B:	4x2, Chevrolet Express 1500 Passenger LS
G C:	4x2, Chevrolet Express 1500 Passenger LT
G D:	4x2, Chevrolet Express 1500 Conversion 3LT
G F:	4x2, Chevrolet Express 2500 Cargo
G G:	4x2, Chevrolet Express 2500 Cargo Ext
G H:	4x2, Chevrolet Express 2500 Paratransit
G J:	4x2, Chevrolet Express 2500 Paratransit Ext
G K:	4x2, Chevrolet Express 2500 Conversion 3LT
G L:	4x2, Chevrolet Express 2500 Conversion Ext 3LT
G P:	4x2, Chevrolet Express 2500 Passenger LS
G R:	4x2, Chevrolet Express 2500 Passenger LT
G T:	4x2, Chevrolet Express 3500 Cargo
G U:	4x2, Chevrolet Express 3500 Cargo EXT
G V:	4x2, Chevrolet Express 3500 Paratransit
G W:	4x2, Chevrolet Express 3500 Paratransit EXT
G X:	4x2, Chevrolet Express 3500 Passenger LS

**5 - 6: CHASSIS/SERIES - (Continued)**

G Y:	4x2, Chevrolet Express 3500 Passenger LT
G Z:	4x2, Chevrolet Express 3500 Passenger LS EXT
G 1:	4x2, Chevrolet Express 3500 Passenger LT EXT
G 2:	4x2, Chevrolet Express 3500 Cutaway 139" Wheelbase
G 3:	4x2, Chevrolet Express 3500 Cutaway 159" Wheelbase
G 4:	4x2, Chevrolet Express 3500 Cutaway 177" Wheelbase
G 5:	4x2, Chevrolet Express 4500 Cutaway 159" Wheelbase
G *6:	4x2, Chevrolet Express 4500 Cutaway 177" Wheelbase
G *9:	4x2, Chevrolet Express 4500 Cutaway 177" Wheelbase
G 8:	4x2, Chevrolet Express (Export - Non US, Non Canada)
H A:	4x4, Chevrolet Express 1500 Cargo
H B:	4x4, Chevrolet Express 1500 Passenger LS
H C:	4x4, Chevrolet Express 1500 Passenger LT
H D:	4x4, Chevrolet Express 1500 Conversion 3LT
H 8:	4x4, Chevrolet Express (Export - Non US, Non Canada)

\* Note: Both VIN characters "6" & "9" are valid characters for -  
4x2 Chevrolet Express Cutaway 177" Wheelbase.

**7: RESTRAINT SYSTEM**

B:	AJ3 - Active Manual Belts, Airbag - Driver only - Front
C:	(AK5-ASF) - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row)
F:	(AK5&ASF) - Active Manual belts, Airbag - Driver & Passenger - Front (1st row) and Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st,2nd and 3rd row for vehicles with 4 or more seating rows)

**8: ENGINE TYPE**

A:	L20 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 4.8L, SFI IRON
B:	LC8 - ENGINE FLEXIBLE FUEL, (CNG/LPG), 8 CYL, V8, 6.0L, SFI
G:	L96 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI IRON
L:	LGH - ENGINE DIESEL, 8 CYL, 6.6L, DI, V8, TURBO, DURAMAX
X:	LU3 - ENGINE GAS, 6 CYL, 4.3L, MFI, V6, 90 DEG
4:	LMF - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L, SFI, V8 OHV, IRON



### Chevrolet Express - (Continued)

**9: CHECK DIGIT**  
0-9, X - Calculated by POMS


**10: MODEL YEAR**  
D: 2013

**11: PLANT LOCATION**  
When VIN position 1 is "1" (USA):  
1: Wentzville

**12-17: SEQUENCE NUMBER**  
Consecutive 6 digit number, number starting each new model year with 100001



### Chevrolet Orlando



1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)	
1: Region of Build	Valid Combinations
K: Korea	KL7
2: Manufacturer	
L: GM Korea Company	
3: Vehicle Brand/Type	
7: Chevrolet MPV	

7: RESTRAINT SYSTEM
E: AYO - Active manual belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)

4: GVWR/BRAKE SYSTEM/BODY STYLE		
GVW (Lbs)/ Brake System		Body Style
		75
Class C: 4,001-5,000	Hyd.	7

8: ENGINE TYPE
T: LEA - ENGINE GAS, 4 CYL, 2.4L, SIDI, DOHC, E85 MAX, ALUM

9: CHECK DIGIT
0-9, X - Calculated by POMS

5-6: CHASSIS/SERIES	
<u>Book P</u>	
P 1:	Chevrolet Orlando LS (Canada Only)
P 2:	Chevrolet Orlando LT (Canada Only)
P 3:	Chevrolet Orlando LTZ (Canada Only)


10: MODEL YEAR
D: 2013

11: PLANT LOCATION
<u>When VIN position 1 is "K" (S. Korea):</u>
K: Kunsan

12-17: SEQUENCE NUMBER
Consecutive 6 digit number, number starting each new model year with 100001



# Chevrolet Silverado



**1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)**

1: Region of Build	Valid Combinations		
1: United States	1GC	3GC	
3: Mexico	1GB	3GB	
2: Manufacturer	G: General Motors		
3: Vehicle Brand/Type	C: Chevrolet Truck		
	B: Chevrolet Incomplete		

**5-6: CHASSIS/SERIES - (Continued)**

K	V:	4x4, 2500 Chevrolet Silverado Work Truck/Fleet/Base
K	X:	4x4, 2500 Chevrolet Silverado LT
K	Y:	4x4, 2500 Chevrolet Silverado LTZ
K	Z:	4x4, 3500 Chevrolet Silverado Work Truck/Fleet/Base
K	O:	4x4, 3500 Chevrolet Silverado LT
K	1:	4x4, 3500 Chevrolet Silverado LTZ
K	9:	4x4, Chevrolet Silverado (Export - Non US, Non Canada)

**4: GVWR/BRAKE SYSTEM/BODY STYLE**

GVW (Lbs)/ Brake System		Body Style		
		03	43	53
Class E: 6,001-7,000	Hyd.	N	P	R
Class F: 7,001-8,000	Hyd.		U	V
Class H: 9,001-10,000	Hyd.	0	1	2
Class 3: 10,001-14,000	Hyd.	3	4	5

**7: RESTRAINT SYSTEM**

E: (AJ7&ASF) - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

F: (AK5&ASF) - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) and Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

**5-6: CHASSIS/SERIES**

**Book 1**

C	P:	4x2, 1500 Chevrolet Silverado Work Truck/Fleet/Base
C	R:	4x2, 1500 Chevrolet Silverado LS
C	S:	4x2, 1500 Chevrolet Silverado LT
C	T:	4x2, 1500 Chevrolet Silverado LTZ
C	U:	4x2, 1500 Chevrolet Silverado Hybrid
C	V:	4x2, 2500 Chevrolet Silverado Work Truck/Fleet/Base
C	X:	4x2, 2500 Chevrolet Silverado LT
C	Y:	4x2, 2500 Chevrolet Silverado LTZ
C	Z:	4x2, 3500 Chevrolet Silverado Work Truck/Fleet/Base
C	O:	4x2, 3500 Chevrolet Silverado LT
C	1:	4x2, 3500 Chevrolet Silverado LTZ
C	9:	4x2, Chevrolet Silverado (Export - Non US, Non Canada)
K	P:	4x4, 1500 Chevrolet Silverado Work Truck/Fleet/Base
K	R:	4x4, 1500 Chevrolet Silverado LS
K	S:	4x4, 1500 Chevrolet Silverado LT
K	T:	4x4, 1500 Chevrolet Silverado LTZ
K	U:	4x4, 1500 Chevrolet Silverado Hybrid

**8: ENGINE TYPE**

A: L20 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 4.8L, SFI IRON

B: LC8 - ENGINE FLEXIBLE FUEL, (CNG/LPG), 8 CYL, V8, 6.0L, SFI,

G: L96 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI IRON

J: LZ1 - ENGINE FLEXIBLE FUEL (GAS/ETHANOL), 8 CYL, 6.0L, SFI LIVC, DOD, ALUM

X: LU3 - ENGINE GAS, 6 CYL, 4.3L, MFI, V6, 90 DEG

O: LMG - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L, SFI, V8, OHV, CYL DEACTIVATION, IRON

2: L9H - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 6.2L, SFI, ALUM

7: LC9 - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L SFI, ALUM CYL, DEACTIVATION

8: LML - ENGINE DIESEL, 8 CYL, 6.6L, PTI, V8, TURBO, DURAMAX

**9: CHECK DIGIT**

0-9, X - Calculated by POMS



## Chevrolet Silverado Continued

**10: MODEL YEAR**

D: 2013

**11: PLANT LOCATION**

When VIN position 1 is "1" (USA):

F: Flint

Z: Fort Wayne

When VIN position 1 is "3" (Mexico):


G: Silao

**12-17: SEQUENCE NUMBER**

Consecutive 6 digit number, number starting each new model year with 100001



## Chevrolet Suburban



1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)	
1: Region of Build	Valid Combinations
1: United States	1GN 3GN
3: Mexico	
2: Manufacturer	
G: General Motors	
3: Vehicle Brand/Type	
N: Chevrolet MPV	

8: ENGINE TYPE
G: L96 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI IRON
O: LMG - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L, SFI, V8, OHV, CYL DEACTIVATION, IRON
7: LC9 - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L SFI, ALUM CYL, DEACTIVATION

4: GVWR/BRAKE SYSTEM/BODY STYLE		
GVW (Lbs)/ Brake System		Body Style
		05/06
Class F: 7,001-8,000	Hyd.	S
Class G: 8,001-9,000	Hyd.	W

9: CHECK DIGIT
0-9, X - Calculated by POMS

10: MODEL YEAR
D: 2013

5-6: CHASSIS/SERIES	
<u>Book 1</u>	
C H:	4x2, ½ ton Chevrolet Suburban LS
C J:	4x2, ½ ton Chevrolet Suburban LT
C K:	4x2, ½ ton Chevrolet Suburban LTZ
C L:	4x2, ¾ ton Chevrolet Suburban LS
C M:	4x2, ¾ ton Chevrolet Suburban LT
C 5:	4x2, Chevrolet Suburban FL
C 8:	4x2, Chevrolet Suburban (Export - Non US, Non Canada)
K H:	4x4, ½ ton Chevrolet Suburban LS
K J:	4x4, ½ ton Chevrolet Suburban LT
K K:	4x4, ½ ton Chevrolet Suburban LTZ
K L:	4x4, ¾ ton Chevrolet Suburban LS
K M:	4x4, ¾ ton Chevrolet Suburban LT
K 5:	4x4, Chevrolet Suburban FL
K 8:	4x4, Chevrolet Suburban (Export - Non US, Non Canada)


11: PLANT LOCATION
<u>When VIN position 1 is "1" (USA):</u>
R: Arlington
<u>When VIN position 1 is "3" (Mexico):</u>
G: Silao

12-17: SEQUENCE NUMBER
Consecutive 6 digit number, number starting each new model year with 100001

7: RESTRAINT SYSTEM
E: (AJ7&ASF) - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)



## Chevrolet Tahoe



1 - 3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)	
1: Region of Build	1: United States
2: Manufacturer	G: General Motors
3: Vehicle Brand/Type	N: Chevrolet MPV

8: ENGINE TYPE	
F:	L94 - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 6.2L, SFI, ALUM CYL DEACTIVATION
J:	LZ1 - ENGINE FLEXIBLE FUEL (GAS/ETHANOL), 8 CYL, 6.0L, SFI LIVC, DOD, ALUM
O:	LMG - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L, SFI, V8, OHV, CYL DEACTIVATION, IRON

4: GVWR/BRAKE SYSTEM/BODY STYLE		
GVW (Lbs)/ Brake System		Body Style 05/06
Class E: 6,001-7,000	Hyd.	L
Class F: 7,001-8,000	Hyd.	S

9: CHECK DIGIT	
0-9, X	- Calculated by POMS

10: MODEL YEAR	
D:	2013

5-6: CHASSIS/SERIES	
<u>Book 1</u>	
C A:	4x2, ½ ton Chevrolet Tahoe LS
C B:	4x2, ½ ton Chevrolet Tahoe LT
C C:	4x2, ½ ton Chevrolet Tahoe LTZ
C D:	4x2, ½ ton Chevrolet Tahoe Hybrid
C 2:	4x2, ½ ton Chevrolet Tahoe Police Vehicle
C 4:	4x2, ½ ton Chevrolet Tahoe FL
C 6:	4x2, ½ ton Chevrolet Tahoe (Export - Non US, Non Canada)
K A:	4x4, ½ ton Chevrolet Tahoe LS
K B:	4x4, ½ ton Chevrolet Tahoe LT
K C:	4x4, ½ ton Chevrolet Tahoe LTZ
K D:	4x4, ½ ton Chevrolet Tahoe Hybrid
K 2:	4x4, ½ ton Chevrolet Tahoe Special Services Vehicle
K 4:	4x4, ½ ton Chevrolet Tahoe FL
K 6:	4x4, ½ ton Chevrolet Tahoe (Export - Non US, Non Canada)


11: PLANT LOCATION	
<u>When VIN position 1 is "1" (USA):</u>	
R:	Arlington

12-17: SEQUENCE NUMBER	
Consecutive 6 digit number, number starting each new model year with 100001	

7: RESTRAINT SYSTEM	
E:	(AJ7&ASF) - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)



# Chevrolet Traverse



1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)	
1: Region of Build	1: United States
2: Manufacturer	G: General Motors
3: Vehicle Brand/Type	N: Chevrolet MPV

7: RESTRAINT SYSTEM	
E:	AYO - Active manual belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)
K:	AYQ - Active Manual Belts, Airbags - Driver & Passenger - Front (1st row), Front Seat Side (1st row), Front Inboard Seat Side (1st row), Roof Side (all seating rows)

4: GVWR/BRAKE SYSTEM/BODY STYLE		
GVW (Lbs)/ Brake System		Body Style
		26
Class E: 6,001-7,000	Hyd.	K

8: ENGINE TYPE	
D:	LLT - ENGINE GAS, 6 CYL, 3.6L, SIDI, V6, ALUM, 60 DEGREES

9: CHECK DIGIT	
0-9, X - Calculated by POMS	

5-6: CHASSIS/SERIES	
<u>Book 17</u>	
R E:	Chevrolet Traverse 1FL (FWD)
R F:	Chevrolet Traverse LS (FWD)
R G:	Chevrolet Traverse 1LT (FWD)
R J:	Chevrolet Traverse 2LT (FWD)
R L:	Chevrolet Traverse LTZ (FWD)
R 8:	Chevrolet Traverse FWD (Export - Non US, Non Canada)
V E:	Chevrolet Traverse 1FL (AWD)
V F:	Chevrolet Traverse LS (AWD)
V G:	Chevrolet Traverse 1LT (AWD)
V J:	Chevrolet Traverse 2LT (AWD)
V L:	Chevrolet Traverse LTZ (AWD)
V 8:	Chevrolet Traverse AWD (Export - Non US, Non Canada)

10: MODEL YEAR	
D:	2013


11: PLANT LOCATION	
<u>When VIN position 1 is "1" (USA):</u>	
J:	Lansing - Delta Township

12-17: SEQUENCE NUMBER	
Consecutive 6 digit number, number starting each new model year with 100001	





### Chevrolet Trax/Tracker



**1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)**

1: Region of Build  
 3: Mexico

2: Manufacturer  
 G: General Motors

3: Vehicle Brand/Type  
 N: Chevrolet MPV

**8: ENGINE TYPE**

B: LUV - ENGINE GAS, 4 CYL, L4, 1.4L, MFI, DOHC, TURBO HO, E85 MAX  
 E: 2HO - ENGINE GAS, 4 CYL, 1.8L, MFI, 103KW, DOHC  
 T: LFH - ENGINE GAS, 4 CYL, 1.8L, MFI, E100 MAX

**9: CHECK DIGIT**

0-9, X - Calculated by POMS

**4: GVWR/BRAKE SYSTEM/BODY STYLE**

GVW (Lbs)/ Brake System	Body Style
Class C: 4,001-5,000 Hyd.	76 C

**10: MODEL YEAR**

D: 2013

**11: PLANT LOCATION**

When VIN position 1 is "3" (Mexico):  
 L: San Luis Potosi

**5-6: CHASSIS/SERIES**

Book J

J K: Chevrolet Trax LS (FWD) (Canada Only)  
 J L: Chevrolet Trax 1LT (FWD) (Canada Only)  
 J M: Chevrolet Trax 2LT (FWD) (Canada Only)  
 J N: Chevrolet Trax LTZ (FWD) (Canada Only)  
 J P: Chevrolet Trax 1LT (AWD) (Canada Only)  
 J R: Chevrolet Trax 2LT (AWD) (Canada Only)  
 J S: Chevrolet Trax LTZ (AWD) (Canada Only)  
 J 8: Chevrolet Trax/Traker (Export - Non US, Non Canada)

**12-17: SEQUENCE NUMBER**


Consecutive 6 digit number, number starting each new model year with 100001

**7: RESTRAINT SYSTEM**

C: ADL - Active Manual Belts, Airbag-Driver & Passenger-Front (1st row)  
 E: AYC/AY0 - Active manual belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)  
 S: AYF - Active Manual Belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row) & Rear Seat Side (2nd row), Roof Side (all seating rows), Driver & Passenger knee (1st row)



### GMC Acadia



1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)	
1: Region of Build	1: United States
2: Manufacturer	G: General Motors
3: Vehicle Brand/Type	K: GMC MPV

7: RESTRAINT SYSTEM	
E:	AY0 - Active manual belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)
K:	AYQ - Active Manual Belts, Airbags - Driver & Passenger - Front (1st row), Front Seat Side (1st row), Front Inboard Seat Side (1st row, Roof Side (all seating rows)

4: GVWR/BRAKE SYSTEM/BODY STYLE	
GVW (Lbs)/ Brake System	Body Style
Class E: 6,001-7,000 Hyd.	26 K

8: ENGINE TYPE	
D:	LLT - ENGINE GAS, 6 CYL, 3.6L, SIDI, V6, ALUM, 60 DEGREES

9: CHECK DIGIT	
0-9, X - Calculated by POMS	

5-6: CHASSIS/SERIES	
<u>Book 17</u>	
R N:	GMC Acadia SLE 1 (FWD)
R P:	GMC Acadia SLE 2 (FWD)
R R:	GMC Acadia SLT 1 (FWD)
R S:	GMC Acadia SLT 2 (FWD)
R T:	GMC Acadia Denali (FWD)
R 9:	GMC Acadia FWD (Export - Non US, Non Canada)
V N:	GMC Acadia SLE 1 (AWD)
V P:	GMC Acadia SLE 2 (AWD)
V R:	GMC Acadia SLT 1 (AWD)
V S:	GMC Acadia SLT 2 (AWD)
V T:	GMC Acadia Denali (AWD)
V 9:	GMC Acadia AWD (Export - Non US, Non Canada)


10: MODEL YEAR	
D:	2013

11: PLANT LOCATION	
<u>When VIN position 1 is "1" (USA):</u>	
J:	Lansing - Delta Township

12-17: SEQUENCE NUMBER	
Consecutive 6 digit number, number starting each new model year with 100001	



GMC Savana



**1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)**

1: Region of Build	Valid Combinations
1: United States	1GD
2: Manufacturer	1GJ G: General Motors 1GK
3: Vehicle Brand/Type	1GT D: GMC Incomplete Truck J: GMC Bus K: GMC MPV T: GMC Truck

**4: GVWR/BRAKE SYSTEM/BODY STYLE**

GVW (Lbs)/ Brake System	Body Style	
	05/06	03
Class E: 6,001-7,000 Hyd.	L	
Class F: 7,001-8,000 Hyd.	S	
Class G: 8,001-9,000 Hyd.	W	Y
Class H: 9,001-10,000 Hyd.	Z	0
Class 3: 10,001-14,000 Hyd.		3
Class 4: 14,001-16,000 Hyd.		6

**5-6: CHASSIS/SERIES**

**Book 8**

7 A:	4x2, GMC Savana 1500 Cargo
7 B:	4x2, GMC Savana 1500 Passenger LS
7 C:	4x2, GMC Savana 1500 Passenger LT
7 D:	4x2, GMC Savana 1500 Conversion 3LT
7 F:	4x2, GMC Savana 2500 Cargo
7 G:	4x2, GMC Savana 2500 Cargo Ext
7 H:	4x2, GMC Savana 2500 Paratransit
7 J:	4x2, GMC Savana 2500 Paratransit Ext
7 K:	4x2, GMC Savana 2500 Conversion 3LT
7 L:	4x2, GMC Savana 2500 Conversion Ext 3LT
7 P:	4x2, GMC Savana 2500 Passenger LS
7 R:	4x2, GMC Savana 2500 Passenger LT
7 T:	4x2, GMC Savana 3500 Cargo
7 U:	4x2, GMC Savana 3500 Cargo EXT
7 V:	4x2, GMC Savana 3500 Paratransit
7 W:	4x2, GMC Savana 3500 Paratransit EXT
7 X:	4x2, GMC Savana 3500 Passenger LS
7 Y:	4x2, GMC Savana 3500 Passenger LT

7 Z:	4x2, GMC Savana 3500 Passenger LS EXT
7 1:	4x2, GMC Savana 3500 Passenger LT EXT
7 2:	4x2, GMC Savana 3500 Cutaway 139" Wheelbase
7 3:	4x2, GMC Savana 3500 Cutaway 159" Wheelbase
7 4:	4x2, GMC Savana 3500 Cutaway 177" Wheelbase
7 5:	4x2, GMC Savana 4500 Cutaway 159" Wheelbase
7 6:	4x2, GMC Savana 4500 Cutaway 177" Wheelbase
7 *8:	4x2, GMC Savana (Export - Non US, Non Canada)
7 *9:	4x2, GMC Savana (Export - Non US, Non Canada)
8 A:	4x4, GMC Savana 1500 Cargo
8 B:	4x4, GMC Savana 1500 Passenger LS
8 C:	4x4, GMC Savana 1500 Passenger LT
8 D:	4x4, GMC Savana 1500 Conversion 3LT
8 *8:	4x4, GMC Savana (Export - Non US, Non Canada)
8 *9:	4x4, GMC Savana (Export - Non US, Non Canada)

\*Note: For VIN Position 6 characters "8" & "9" are valid characters for - 4x2 & 4x4 GMC Savana (Export - Non US, Non Canada).

**7: RESTRAINT SYSTEM**

B:	AJ3 - Active Manual Belts, Airbag - Driver only - Front
C:	(AK5-ASF) - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row)
F:	(AK5&ASF) - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) and Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

**8: ENGINE TYPE**

A:	L20 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 4.8L, SFI IRON
B:	LC8 - ENGINE FLEXIBLE FUEL, (CNG/LPG), 8 CYL, V8, 6.0L, SFI,
G:	L96 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI IRON
L:	LGH - ENGINE DIESEL, 8 CYL, 6.6L, DI, V8, TURBO, DURAMAX
X:	LU3 - ENGINE GAS, 6 CYL, 4.3L, MFI, V6, 90 DEG
4:	LMF - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L, SFI, V8 OHV, IRON

**9: CHECK DIGIT**

0-9, X	Calculated by POMS
--------	--------------------



GMC Savana (Continued)

11: PLANT LOCATION

When VIN position 1 is "1" (USA):


1: Wentzville

12-17: SEQUENCE NUMBER

Consecutive 6 digit number, number starting each new model year with 100001



## GMC Sierra



**1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)**

1: Region of Build	Valid Combinations		
1: United States	1GT	3GT	
3: Mexico	1GD	3GD	
2: Manufacturer			
G: General Motors			
3: Vehicle Brand/Type			
T: GMC Truck			
D: GMC Incomplete			

**4: GVWR/BRAKE SYSTEM/BODY STYLE**

GVW (Lbs)/ Brake System		Body Style		
		03	43	53
Class E: 6,001-7,000	Hyd.	N	P	R
Class F: 7,001-8,000	Hyd.		U	V
Class H: 9,001-10,000	Hyd.	0	1	2
Class 3: 10,001-14,000	Hyd.	3	4	5

**5-6: CHASSIS/SERIES**

**Book 1**

1	T:	4x2, 1500 GMC Sierra Work Truck/Fleet/Base
1	U:	4x2, 1500 GMC Sierra SL
1	V:	4x2, 1500 GMC Sierra SLE
1	W:	4x2, 1500 GMC Sierra SLT
1	X:	4x2, 1500 GMC Sierra Denali
1	Y:	4x2, 1500 GMC Sierra Hybrid
1	Z:	4x2, 2500 GMC Sierra Work Truck/Fleet/Base
1	0:	4x2, 2500 GMC Sierra SLE
1	1:	4x2, 2500 GMC Sierra SLT
1	2:	4x2, 3500 GMC Sierra Work Truck/Fleet/Base
1	3:	4x2, 3500 GMC Sierra SLE
1	4:	4x2, 3500 GMC Sierra SLT
1	5:	4x2, 2500 GMC Sierra Denali
1	6:	4x2, 3500 GMC Sierra Denali
1	9:	4x2, GMC Sierra (Export - Non US, Non Canada)
2	T:	4x4, 1500 GMC Sierra Work Truck/Fleet/Base
2	U:	4x4, 1500 GMC Sierra SL

**5-6: CHASSIS/SERIES - (Continued)**

2	V:	4x4, 1500 GMC Sierra SLE
2	W:	4x4, 1500 GMC Sierra SLT
2	X:	4x4, 1500 GMC Sierra Denali
2	Y:	4x4, 1500 GMC Sierra Hybrid
2	Z:	4x4, 2500 GMC Sierra Work Truck/Fleet/Base
2	0:	4x4, 2500 GMC Sierra SLE
2	1:	4x4, 2500 GMC Sierra SLT
2	2:	4x4, 3500 GMC Sierra Work Truck/Fleet/Base
2	3:	4x4, 3500 GMC Sierra SLE
2	4:	4x4, 3500 GMC Sierra SLT
2	5:	4x4, 2500 GMC Sierra Denali
2	6:	4x4, 3500 GMC Sierra Denali
2	9:	4x4, GMC Sierra (Export - Non US, Non Canada)

**7: RESTRAINT SYSTEM**

E: (AJ7&ASF) - Active Manual Belts, Airbags-Driver & Passenger-Front (1st row), Front Seat Side (1st row), Roof Side (all seating rows)

F: (AK5&ASF) - Active Manual Belts, Airbag - Driver & Passenger - Front (1st row) and Roof Side (All seating rows for vehicles with 3 or fewer seating rows; 1st, 2nd and 3rd row for vehicles with 4 or more seating rows)

**8: ENGINE TYPE**

A: L20 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 4.8L, SFI IRON

B: LC8 - ENGINE FLEXIBLE FUEL, (CNG/LPG), 8 CYL, V8, 6.0L, SFI,

G: L96 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI IRON

J: LZ1 - ENGINE FLEXIBLE FUEL (GAS/ETHANOL), 8 CYL, 6.0L, SFI LIVC, DOD, ALUM

X: LU3 - ENGINE GAS, 6 CYL, 4.3L, MFI, V6, 90 DEG

0: LMG - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L, SFI, V8, OHV, CYL DEACTIVATION, IRON

2: L9H - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 6.2L, SFI, ALUM

7: LC9 - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L SFI, ALUM CYL, DEACTIVATION

8: LML - ENGINE DIESEL, 8 CYL, 6.6L, PTI, V8, TURBO, DURAMAX



## GMC Sierra - (Continued)

### 9: CHECK DIGIT

0-9, X - Calculated by POMS

### 10: MODEL YEAR

D: 2013

### 11: PLANT LOCATION

When VIN position 1 is "1" (USA):

F: Flint

Z: Fort Wayne

When VIN position 1 is "3" (Mexico):


G: Silao

### 12-17: SEQUENCE NUMBER

Consecutive 6 digit number, number starting each new model year with 100001



## GMC Terrain



**1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)**

1: Region of Build  
 2: Canada

2: Manufacturer  
 G: General Motors

3: Vehicle Brand/Type  
 K: GMC MPV

**4: GVWR/BRAKE SYSTEM/BODY STYLE**

GVW (Lbs)/ Brake System	Body Style
	26
Class C: 4,001-5,000 Hyd.	A
Class D: 5,001-6,000 Hyd.	F

**5-6: CHASSIS/SERIES**

Book 7L

L M: GMC Terrain SLE 1 (FWD)  
 L R: GMC Terrain SLE 1 (AWD)  
 L S: GMC Terrain SLE 2 (FWD)  
 L T: GMC Terrain SLE 2 (AWD)  
 L U: GMC Terrain SLT 1 (FWD)  
 L V: GMC Terrain SLT 1 (AWD)  
 L W: GMC Terrain SLT 2 (FWD)  
 L X: GMC Terrain SLT 2 (AWD)  
 L Y: GMC Terrain Denali (FWD)  
 L Z: GMC Terrain Denali (AWD)  
 L 8: GMC Terrain (Export - Non US, Non Canada)

**7: RESTRAINT SYSTEM**

E: AYO - Active manual belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)

**8: ENGINE TYPE**

K: LEA - ENGINE GAS, 4 CYL, 2.4L, SIDI, DOHC, E85 MAX, ALUM  
 3: LFX - ENGINE GAS, 6 CYL, 3.6L, SIDI, DOHC, VVT, E85 MAX, ALUM

**9: CHECK DIGIT**

0-9, X - Calculated by POMS

**10: MODEL YEAR**

D: 2013

**11: PLANT LOCATION**


When VIN position 1 is "2" (Canada):  
 6: CAMI

**12-17: SEQUENCE NUMBER**

Consecutive 6 digit number, number starting each new model year with 100001



## GMC Yukon



**1-3: WORLD MAKE/MANUFACTURER IDENTIFIER (WMI)**

1: Region of Build	1: United States
2: Manufacturer	G: General Motors
3: Vehicle Brand/Type	K: GMC MPV

**4: GVWR/BRAKE SYSTEM/BODY STYLE**

GVW (Lbs)/ Brake System	Body Style
Class E: 6,001-7,000	Hyd. L
Class F: 7,001-8,000	Hyd. S
Class G: 8,001-9,000	Hyd. W

**5-6: CHASSIS/SERIES**

**Book 1**

1	A:	4x2, ½ ton GMC Yukon SLE
1	B:	4x2, ½ ton GMC Yukon Commercial Fleet
1	C:	4x2, ½ ton GMC Yukon SLT
1	D:	4x2, ½ ton GMC Yukon SLT (SLT2)
1	E:	4x2, ½ ton GMC Yukon Denali
1	F:	4x2, ½ ton GMC Yukon Hybrid
1	G:	4x2, ½ ton GMC Yukon Denali Hybrid
1	H:	4x2, ½ ton GMC Yukon XL SLE
1	J:	4x2, ½ ton GMC Yukon XL Commercial Fleet
1	K:	4x2, ½ ton GMC Yukon XL SLT
1	L:	4x2, ½ ton GMC Yukon XL SLT (SLT2)
1	M:	4x2, ½ ton GMC Yukon XL Denali
1	N:	4x2, ¾ ton GMC Yukon XL SLE
1	P:	4x2, ¾ ton GMC Yukon XL Commercial Fleet
1	R:	4x2, ¾ ton GMC Yukon XL SLT
1	S:	4x2, ¾ ton GMC Yukon XL SLT (SLT2)
1	7:	4x2, GMC Yukon (Export - Non US, Non Canada)
1	8:	4x2, GMC Yukon XL (Export - Non US, Non Canada)
2	A:	4x4, ½ ton GMC Yukon SLE
2	B:	4x4, ½ ton GMC Yukon Commercial Fleet
2	C:	4x4, ½ ton GMC Yukon SLT
2	D:	4x4, ½ ton GMC Yukon SLT (SLT 2)
2	E:	4x4, ½ ton GMC Yukon Denali
2	F:	4x4, ½ ton GMC Yukon Hybrid

**5-6: CHASSIS/SERIES - (Continued)**

2	G:	4x4, ½ ton GMC Yukon Denali Hybrid
2	H:	4x4, ½ ton GMC Yukon XL SLE
2	J:	4x4, ½ ton GMC Yukon XL Commercial Fleet
2	K:	4x4, ½ ton GMC Yukon XL SLT
2	L:	4x4, ½ ton GMC Yukon XL SLT (SLT2)
2	M:	4x4, ½ ton GMC Yukon XL Denali
2	N:	4x4, ¾ ton GMC Yukon XL SLE
2	P:	4x4, ¾ ton GMC Yukon XL Commercial Fleet
2	R:	4x4, ¾ ton GMC Yukon XL SLT
2	S:	4x4, ¾ ton GMC Yukon XL SLT (SLT2)
2	7:	4x4, GMC Yukon (Export - Non US, Non Canada)
2	8:	4x4, GMC Yukon XL (Export - Non US, Non Canada)

**7: RESTRAINT SYSTEM**

E:	(AJ7&ASF) - Active manual belts, Airbags - Driver & Passenger Front (1st row), Front Seat Side (1st row), Roof Side (All seating rows)
----	--

**8: ENGINE TYPE**

F:	L94 - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 6.2L, SFI, ALUM CYL DEACTIVATION
G:	L96 - ENGINE FLEXIBLE FUEL, (GAS/ETHANOL), 8 CYL, 6.0L, SFI IRON
J:	LZ1 - ENGINE FLEXIBLE FUEL (GAS/ETHANOL), 8 CYL, 6.0L, SFI LIVC, DOD, ALUM
0:	LMG - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L, SFI, V8, OHV, CYL DEACTIVATION, IRON
7:	LC9 - ENGINE FLEXIBLE FUEL, (GAS/ALC), 8 CYL, 5.3L SFI, ALUM CYL, DEACTIVATION





## GMC Yukon (Continued)

**9: CHECK DIGIT**  
0-9, X - Calculated by POMS

**10: MODEL YEAR**  
D: 2013

**11: PLANT LOCATION**  
When VIN position 1 is "1" (USA):  
R: Arlington

**12-17: SEQUENCE NUMBER**  
Consecutive 6 digit number, number starting each new model year with 100001